





Tschichold in Colour


May the 21st, 2016 — Vasilis van Gemert






































the 1990s, the number of people in the world who are undernourished has increased from 600 million to 800 million (FAO 2001).

There are a number of reasons for this increase. One of the main reasons is that the population of the world has increased from 5 billion in 1987 to 6 billion in 2000, and is projected to reach 9 billion by 2050 (FAO 2001).

Another reason is that the amount of food available per person has decreased. In 1987, the world produced 2.5 billion tonnes of food, which was enough to feed 6 billion people. In 2000, the world produced 2.8 billion tonnes of food, which was enough to feed 5.6 billion people (FAO 2001).

There are a number of reasons for this decrease. One of the main reasons is that the amount of land available for agriculture has decreased. In 1987, there were 1.5 billion hectares of land available for agriculture. In 2000, there were 1.4 billion hectares of land available for agriculture (FAO 2001).

Another reason is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

There are a number of reasons for this decrease. One of the main reasons is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

Another reason is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

There are a number of reasons for this decrease. One of the main reasons is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

Another reason is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

There are a number of reasons for this decrease. One of the main reasons is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

Another reason is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

There are a number of reasons for this decrease. One of the main reasons is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).


Another reason is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

There are a number of reasons for this decrease. One of the main reasons is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

Another reason is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).

There are a number of reasons for this decrease. One of the main reasons is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).


Another reason is that the amount of water available for agriculture has decreased. In 1987, there were 1.5 billion cubic metres of water available for agriculture. In 2000, there were 1.4 billion cubic metres of water available for agriculture (FAO 2001).














































...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...


...the ...


...the ...


...the ...

...the ...




















...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...


...the ...


...the ...


...the ...

...the ...

















This book is an experiment in colour and ratio. All colours are generated at random. The margins around each rectangle are generated at random as well, but they follow the rules of classic book layout, as described by Jan Tschichold. A visual explanation of this layout can be found on page 11 and 12.

This book was generated on May the 21st, 2016. It's part of a large series of generated books, prints and webpages that investigate colour, form and ratio.
<http://vasilis.nl/random/>